

Genki Life

Mango Strawberry Ice (20 mg/ml) Certification of Ingredients And Analytical Composition for AxioCore Corporation January 18, 2024



GENKI LIFE LLC
EST. 2019
A FEEL GOOD CO.



Contents

General Product Attributes	3
Manufacturing	3
Ingredient Listing	3
Nicotine Purity and Level	4
Propylene Glycol and Glycerin	4
Components	4
Health Hazard	4
ANNEX NO 4	4
Food Grade Ingredients	5
Labeling	5

Table of Tables

Table 1	Mango Strawberry 20mg/ml Formula Breakdown	3
Table 2	Nicotine Purity	4
Table 3	Certificate of Analysis	4

General Product Attributes

Specification Category	Product Name	Nicotine Content
E-Liquid	Mango Strawberry Ice	Nicotine 20 mg/ml
Product Information		
Product Name		Mango Strawberry Ice
Product Category		E-Liquid
Finished Product Manufacturer		Genki Life LLC 4203 Shirley Ave, El Monte, Ca 91731
Brand Owner		Axiocore Corporation 4080 North Palm Street Suite 803 Fullerton, CA 92835
Shelf Life		Best By 2 years from manufacture

Manufacturing

The E-liquid used in Mango Strawberry Ice is produced by Genki Life LLC, an [ISO certified](#) facility, operating in El Monte California, USA. Genki Life LLC opted to forego renewal of the GMP certificate and instead pursued ISO certification. Current with the USA guidelines, Genki Life LLC, is currently in good standing with their ISO certifications which is attached with this submission.

Ingredient Listing

Below is a list of ingredients and the quantities used in the product in a descending order according to the weight of each ingredient, as well as, the purpose of each chemical in the e-liquid.

Table 1 Mango Strawberry Ice 20mg/ml Formula Breakdown

Chemical	Cas Numbers	Total %	Purpose
Glycerine	56-81-5	50	Aerosol Producer
Propylene glycol	57-55-6	39.76	Aerosol Producer
NICOTINE	54-11-5	2	Nicotine
Trimethyl isopropyl butanamide	51115-67-4	1.49	Flavoring
Benzoic acid	65-85-0	1.10	Flavoring
Ethyl maltol	4940-11-8	1.03	Flavoring
D-Limonene	5989-27-5	0.40	Flavoring
Lactic acid	50-21-5	0.39	Flavoring
Decan-4-olide	706-14-9	0.39	Flavoring
L-menthol	2216-51-5	0.34	Flavoring
Ethyl butyrate	928-96-1	0.27	Flavoring
Leaf alcohol	105-37-3	0.22	Flavoring
Acetic acid	64-19-7	0.19	Flavoring
Allyl cyclohexanepropionate	2705-87-5	0.17	Flavoring

gamma-Octalactone	104-50-7	0.14	Flavoring
2-Propenoic acid, 3-phenyl-, ethylester, (E)-	4192-77-2	0.13	Flavoring
9-Octadecenoic acid, (2-phenyl-1, 3- dioxolan-4-yl)methyl ester, cis-	56599-45-2	0.11	Flavoring
Maltol	118-71-8	0.10	Flavoring
Octaethylene glycol monododecyl ether	3055-98-9	0.10	Flavoring

Nicotine Purity and Level

Manufacturers of Mango Strawberry Ice purchase their nicotine from Nicotine River LLC located in Thousand Oaks, California who is known for supplying nicotine for pharmaceutical grade products in the United States. Please reference the attached COA for verification of nicotine testing.

Table 2 Nicotine Purity

Name	Attachment
Nicotine River Certificate of Analysis	NA99_321_22

Propylene Glycol and Glycerin

Both propylene glycol and glycerin are USP Kosher grade with a minimum acceptable assay of 99.5%. Propylene Glycol is tested for both Diethylene and Ethylene Glycols with a passing value of less than 0.1%.

Table 3 Certificate of Analysis

Name	Attachment
Propylene Glycol Certificate of Analysis	COA Propylene Glycol
Glycerin Certificate of Analysis	COA Glycerin

Components

Bottles used for **Mango Strawberry Ice** have been evaluated and tested using the Poison Prevention Packing Act Standards by USA Federal Regulations (16CFR 1700.15(B)(1). Per the [attached records](#), Chubby Gorilla, 10ml Bottle meet the effectiveness specifications for child resistance and flow restriction.

Health Hazard

This product and its ingredients pose no health hazard, with the exclusion of nicotine, by heating in accordance to regular using conditions that it is intended for.

ANNEX NO 4

Daily Manufacturing, certifies, to the best of their knowledge, that their products do not add any of the following chemicals.

- Vitamins or other added materials which could give an impression that the product has a health benefit and reduces health risks.
- Caffeine, taurine, or other additives and stimulants associated with stimulating performance and vitality.
- Coloring added materials with properties of coloring emissions.
- Carcinogens, Causing genetic mutations or substances that produce toxins in their flammable or non-flammable forms.
- Substances classified as illegal, such as narcotic, hallucinogenic, denaturing and stimulating substances.
- Ethylene glycol, diethylene glycol, formaldehyde, acetaldehyde, acrolein, acetone, diacetyl and Acetylpropionyl
- Butylparaben long chain preservation substances.
- Substances causing respiratory allergy.
- Minerals such as lead, cadmium, mercury, chromium, nickel, iron, arsenic and tin.
- Multipolar hydrocarbon, Carbon Monoxide and tobacco Nitrosamines such as NNN and NNK.
- In addition to the mentioned above, the heated tobacco products and their emissions must be free of the following:
 - Crotonaldehyde, Acrylonitrile and gasoline.
 - Butadiene, Isoprene and Toluene.
 - Amino-biphenyl.
 - Amino-Naphthalene.
 - Ammonia and Cinnamic compounds.

Food Grade Ingredients

All flavor components and added materials, barring nicotine, in the final product are of food grade and/or allowed to be used in the inhaling devices as per the Jordanian Technician Act No. 94 and its amendments.

Labeling

The final labeling includes the storage conditions. See attached on following pages.

United States of America



DEPARTMENT OF STATE

To all to whom these presents shall come, Greetings:

I Certify That the document hereunto annexed is under the Seal of the District of Columbia, and that such Seal is entitled to full faith and credit.*

**For the contents of the annexed document, the Department assumes no responsibility
This certificate is not valid if it is removed or altered in any way whatsoever*

In testimony whereof, I, Antony J. Blinken, Secretary of State, have hereunto caused the seal of the Department of State to be affixed and my name subscribed by the Assistant Authentication Officer, of the said Department, at the city of Washington, in the District of Columbia, this twenty-seventh day of March, 2024.

Antony J. Blinken

Secretary of State

By *Matthew*

Assistant Authentication Officer,
Department of State

Issued pursuant to CHXIV, State of Sept. 15, 1789, 1 Stat. 68-69; 22 USC 2657; 22USC 2651a; 5 USC 301; 28 USC 1733 et. seq.; 8 USC 1443(f); RULE 44 Federal Rules of Civil Procedure.

Seen at the Consulate of the Hashemite Kingdom
of Jordan in Washington D.C
for the Validity of The Stamp and
Signature of the SECRETARY OF STATE

02 APR 2024


السفارة غير مسؤولة عن محتويات هذه الوثيقة
The Embassy is Not Responsible for
the Contents of the Document

ع
القنصل
ريانا السيد



2

District of Columbia



Washington, D.C., FEBRUARY 9, 2024

To all whom these presents shall come, Greeting:

BEHZAD SAMYA

I certify that _____
whose name is signed to the accompanying paper; is now, and was at the time of
signing the same, a Notary Public in and for the District of Columbia duly commissioned
and qualified.

JUDI GOLD

In witness whereof, I, _____

*Chief, Notary and Authentication Section of the
District of Columbia, have hereunto caused the Seal of the
District of Columbia to be affixed on the day and year first
above written.*



Judi Gold

Chief, Notary and Authentication Section

CERTIFICATE OF FREE SALE

Certificate No.: LA-CFS-42885-65c63114d92ae

TO WHOM IT MAY CONCERN:

I, Martin Breidsprecher, being duly sworn, depose and say:

I am the Chief Operating Officer at the Los Angeles Area Chamber of Commerce, the office of which is located at 350 S. Bixel Street, Los Angeles, CA 90017, United States of America.


1. To the best of my knowledge and belief, **Axiocore Corporation** is a corporation organized and existing under the laws of California, United States of America, with its principal place of business at **4080 North Palm Street suite 803, Fullerton, CA 92835, USA.**
2. To the best of my knowledge and belief **Axiocore Corporation** is engaged in the manufacture of products (as indicated on the following pages(s)), which are produced by Axiocore Corporation and sold in the United States of America and exported to **Jordan.**
3. The products listed on the following page(s) are freely sold in the United States of America under the same name and composition, in compliance with Federal, State and Local regulations.
4. The above statements are based solely upon information supplied by **Abdel Aboabdo** for **Axiocore Corporation.**
5. Dated this 9th Day of February, 2024.



Martin Breidsprecher
Chief Operating Officer
Los Angeles Area Chamber of Commerce



350 S Bixel St, Los Angeles, CA 90027 | F: 213.580.7511 | lachamber.com



State of District of Columbia

I certify this to be the original document
on this 9th day of February, 2024.

Behzad Samya
BEHZAD SAMYA, Notary Public
My Commission Expires September 30, 2026



LOS ANGELES AREA
CHAMBER OF COMMERCE

Certificate No.: LA-CFS-42885-65c63114d92ae

PRODUCT LIST

1. Apple Pink Guava Ice
2. Apple Mango Ice
3. Red Apple Ice
4. Apple Strawberry Ice
5. Apple Peach Ice
6. Banana Watermelon Ice
7. Pineapple Banana Ice
8. Grape Watermelon Ice
9. Purple Grape Ice
10. Strawberry Kiwi Ice
11. Mango Strawberry Ice
12. Apple Watermelon Ice

350 S Bixel St, Los Angeles, CA 90027 | F: 213.580.7511 | lachamber.com

LA-CFS-42885-65c63114d92ae—February 9, 2024

2 of 2



SWIFDOX
BY FAST TRACK GLOBAL SERVICES



Certificate of Analysis

PurNic™ Nicotine - Nicotine River LLC

Product Name:	Nicotine USP	Date:	14 May 2022
CAS Number:	54-11-5	Batch Number:	NA99/321/22
Date of Manufacture:	May 2022	Date of Expiry:	April 2025

No.	Test Parameters	Results	Specifications
1	Description	Clear and colorless to slightly yellow	Clear and colorless to slightly yellow
2	Identification A by IR	Complies	The IR absorption spectrum of the sample is concordant with the spectrum of the standard.
	Identification B by HPLC	Complies	The retention time of the major peaks of the chromatogram of the sample preparation corresponds to that in the chromatogram of the standard preparation, as obtained in the organic impurities
3	Organic Impurity BY HPLC	Complies	As per USP specification
	Nicotine Related Compound A	0.05%	NMT 0.3%
	Nicotine Related Compound B	Not detected	NMT 0.3%
	Nicotine Related Compound C	Not detected	NMT 0.3%
	Nicotine Related Compound D	0.05%	NMT 0.3%
	Nicotine Related Compound E	Not detected	NMT 0.3%
	Nicotine Related Compound F	0.08% (BQL)	NMT 0.3%
	Nicotine Related Compound G	0.05%	NMT 0.3%
	Any other unspecified impurity	Not detected	NMT 0.1%
Total Impurities by HPLC	0.22%	NMT 0.8%	
4	Water	0.06%	NMT 0.5%
5	Assay Nicotine	99.7%	99% to 101%
6	Specific Rotation	-133.68°	-130° to -143°

Notes:

- Storage conditions: stored in a cool, ventilated, dry and fireproof warehouse

www.nicotinriver.com

2535 Conejo Spectrum Street Thousand Oaks CA 91320

COPY CERTIFICATION BY DOCUMENT CUSTODIAN WITH ACKNOWLEDGEMENT


I, Abdel Aboabdo, of legal age, being first duly sworn, hereby
Name of document custodian

Swear (or affirm) that the attached reproduction of

Certificate of Analysis

Description of documents

Is a true and exact copy of the correct and complete original document.


Signature of document custodian (affiant)

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California


County of Los Angeles

On September 9, 2022 before me, Jiwon Yoo, Notary Public
(Here insert name and title of the officer)


personally appeared Abdel Aboabdo
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) is/are subscribed to the within instrument and acknowledged to me that
~~he~~/she/they executed the same in ~~his~~/her/their authorized capacity(ies), and that by
~~his~~/her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.


Notary Public Signature

(Notary Public Seal)





Form No
Revision
Date of Issued

PT. Sinarmas Bio Energy

Certificate No. : 026/QFS/RG-D/BMRD/1/22

CERTIFICATE OF ANALYSIS

Product Name : Refined Glycerine (HDPE Drum)
Applicant :
Container / Truck No. : MEDU 6348640
Shore Tank : T 3311
Place of Origin :
Destination : LONG BEACH, USA
Manufacturer : PT. Sinarmas Bio Energy

Batch No.	CKR 22011 AA		
Production Date	11-Jan-2022	Method	Specification
Expired Date	11-Jan-2024		
Parameter	Result		
Appearance	Clear and Transparent	USP 41	Clear and Transparent
Glycerine Content, %	99,92	Calculation	99.7 Min
Identification A by IR	Pass	USP 41	Pass
Identification C by GC	Pass	USP 41	Pass
Specific Gravity (25/25 °C)	1,2616	USP 41	1.2490 Min
Color (APHA)	4,2	AOCS Ea 9-65	5 Max
Residue on Ignition, %	0,001	USP 41	0.01 Max
Chlorides, ppm	<10	USP 41	10 Max
Sulfate, ppm	<20	USP 41	20 Max
Chlorinated Compounds, ppm	<30	USP 41	30 Max
Fatty Acid and Esters, ml NaOH 0.5N	0,30	USP 41	1.0 Max
Assay, %	99,98	USP 41	99.0 - 101.0
Diethylene Glycol, %	Pass	USP 41	0.10 Max
Ethylene Glycol, %	Pass	USP 41	0.10 Max
Water Content, %	0,08	USP 41	0.3 Max
Individual Impurities, %	Pass	USP 41	0.1 Max
Total Impurities, %	Pass	USP 41	1.0 Max
Arsenic, ppm	<0.04	ICP	1.5 Max
Cadmium, ppm	<0.01	ICP	0.5 Max
Lead, ppm	0,03	ICP	1.0 Max
Mercury, ppm	<0.01	ICP	1.5 Max

Prepared by,
Date : 25 January 2022

Name : Caesario Nugroho
Title : QC Officer Biodiesel

Approved by,
Date : 25 January 2022

Name : Achmad Sandi Sabli
Title : QC Section Head Biodiesel

COPY CERTIFICATION BY DOCUMENT CUSTODIAN WITH ACKNOWLEDGEMENT


I, Abdel Aboabdo, of legal age, being first duly sworn, hereby
Name of document custodian

Swear (or affirm) that the attached reproduction of

Certificate of Analysis

Description of documents

Is a true and exact copy of the correct and complete original document.


Signature of document custodian (affiant)

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Los Angeles

On September 9, 2022 before me, Jiwon Yoo, Notary Public
(Here insert name and title of the officer)


personally appeared Abdel Aboabdo,
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) is are subscribed to the within instrument and acknowledged to me that
he/she/they executed the same in his/her/their authorized capacity(ies), and that by
his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Jiwon Yoo
Notary Public Signature

(Notary Public Seal)





CERTIFICATE OF ANALYSIS

PRODUCT NAME : PROPYLENE GLYCOL USP KOSHER (PG USP K) ·
215 KG STEEL DRUMS

* PO NO. 82683 & 82684

LOT NUMBER : F02351UP

Manufacturing Date : MAR. 25, 2022

Validity Date : MAR. 24, 2024

ITEMS	SPECIFICATION	RESULTS
		F02351UP
Identification , -	Pass	Pass
Appearance , -	Clear	Clear
MPG , wt.%	Min. 99.8	99.98
EG , ppm	Max. 50	0
DEG , ppm	Max. 50	0
Residue on Ignition , ppm	Max. 20	5.0
Chloride , ppm	Max. 1	LT 0.1
Sulfate , ppm	Max. 10	0.0
Elemental Impurity , ppm	Max. 1	LT 1.0
Sp. Gr, 20/20°C	1.037 - 1.039	1.038
Sp. Gr(USP), 25/25°C	1.035 - 1.037	1.036
Acidity , ml	Max. 0.05	0.02
Water , ppm	Max. 700	60
Fe , ppm	Max. 0.1	0.02
Color , APHA	Max. 10	2.0
IBP , DegC	Min. 186	186.2
DP , DegC	Max. 189	187.4

I certify the above statements are true and correct.

*LT:LESS THAN

* MANUFACTURER : SK picglobal Co., Ltd.

Date Recorded : MAR. 25, 2022

Quality Control Manager : J. H. CHA

COPY CERTIFICATION BY DOCUMENT CUSTODIAN WITH ACKNOWLEDGEMENT


I, Abdel Aboabdo, of legal age, being first duly sworn, hereby
Name of document custodian

Swear (or affirm) that the attached reproduction of

Certificate of Analysis

Description of documents

Is a true and exact copy of the correct and complete original document.


Signature of document custodian (affiant)

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Los Angeles


On September 9, 2022 before me, Jiwon Yoo, Notary Public
(Here insert name and title of the officer)

personally appeared Abdel Aboabdo
who proved to me on the basis of satisfactory evidence to be the person(s) whose
name(s) is/are subscribed to the within instrument and acknowledged to me that
he/she/they executed the same in his/her/their authorized capacity(ies), and that by
his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of
which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that
the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Jiwon Yoo
Notary Public Signature (Notary Public Seal)



CPSC
Certificate of
Testing
CoT-SP-000



CHUBBY®

GORILLA

ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE

Scope

This Certificate of Testing (CoT) is applicable to Unicorn Model Types CGUB1-10MLV3-XXXX, CGUB1-15MLV3-XXXX, CGUB1-20MLV3-XXXX and CGUB1-30MLV3-XXXX.

**Testing
Summary**

A. Samples of Models CGUB1-10MLV3-NATL and CGUB1-30MLV3-NATL were evaluated and tested using the Poison Prevention Packaging Act Standards as required under the current Code of Federal Regulations (CFR). These Models meet the *effectiveness specifications* (16 CFR 1700.15(b)(1) and 16 CFR 1700.15(b)(2)(i), including the amended senior test, which includes children attempting to open the senior closed systems to yield senior-resecuring effectiveness results) when tested by the methods described in 16 CFR 1700.20.

B. Samples of Model Types CGUB1-10MLV3-NATL, CGUB1-15MLV3-NATL, CGUB1-20MLV3-NATL and CGUB1-30MLV3-NATL were evaluated and tested using the Child Nicotine Poisoning Prevention Act (CNPPA) of 2015 and the Protocol described in CPSC's industry letter dated March 8, 2019 titled: Nicotine Packaging Test Parameters. These Models meet the requirements for Nicotine Flow Restriction: CPSC's Test Methodology based upon the average of four measurements of samples filled with the worst-case placebo ratio of vegetable glycerin and propylene glycol (50:50 VG:PG). Therefore, solvent ratios with higher amounts of vegetable glycerin, e.g., 60:40, 70:30 VG:PG, etc. are deemed to be compliant with the requirements.

Notes:

- 1. Model Types CGUB1-15MLV3-XXXX and CGUB1-20MLV3-XXXX may be considered Child-Resistant by application of the rationale of bracketing by size.*
- 2. XXXX is a placeholder for various Model colors, including but not limited to NATL, BK, BKBK, WTC, and WT-SOLID.*
- 3. VG = Vegetable Glycerin; PG = Propylene Glycol*

**CPSC
Certificate of
Testing
CoT-SP-003**



CHUBBY®

GORILLA

ENGINEERED FOR A PURPOSE, DESIGNED FOR A PURPOSE

**Third Party
Testing Labs**

A. 16 CFR 1700.20 Testing:

Perritt Laboratories, Inc.
145 South Main Street
Post Office Box 147
Hightstown, NJ 08520
(Test Report CN2042-001, dated: April 20, 2018)
(Test Report CN2042-002, dated: April 20, 2018)

IVM Institut Verpackungsmarktforschung GmbH
Friedrich-Seele-Straße 20
38122 Braunschweig, Germany
(Test Report 13312390418, dated: May 22, 2018)

B. Flow Restriction Testing:

Life Pack Labs, LLC
2865 Scott Street
Suite 103
Vista, CA 92081
(Test Report 1139, dated: June 27, 2019)
(Test Report 1244, dated: September 06, 2021)

Certificate authorized by Mengyu Wang

Regulatory Compliance Associate
Title

Mengyu Wang
Electronic Signature

Date: 09-Sep-2021

Corporate Headquarters Address:


Chubby Gorilla, Inc.
4320 N. Harbor Blvd, Fullerton, CA 92835 USA

Regulatory Compliance Team Contact:

(844) 365-5218 Ext. 407




Version Number: 002

CGUB1-10MLV3-XXXX
Drawing CG-MD-001
Revision date: 18-May-2022





Notes:
1. All dimensions = mm
2. Dimensions = averages
3. Finish size = T15

CGUB1-10MLV3-XXXX
Drawing CG-MD-001
Revision date: 18-May-2022







25.0

30.4





Ø21.0



32.4

Ø21.0












Outer Closure

Inner Closure

Page 2 of 3

CGUB1-10MLV3-XXXX
Drawing CG-MD-001
Revision date: 18-May-2022





Container

Nozzle
Page 3 of 3

Chubby Gorilla, Inc.

Regulatory Declarations and Testing Certificate (BKBK Models)

Product Identification: Chubby Gorilla Container Closure Systems for Liquids – BKBK Models		
This product consists of four individual components. Components may be tested individually, as a sub-unit (closure), or as a complete container closure system. See Drawings.		
Resin identification for respective components:		
Container: Resin A. Polyethylene Terephthalate (PET)		
Three component, tamper-evident, child resistant closure with flow restriction nozzle:		
1. Nozzles: two resins, depending on model size – Resin B.1. Low Density Polyethylene (LDPE) or Resin B.2. Polypropylene (PP). See Material of Construction.		
2. Inner closure with tamper evident band: Resin C. High Density Polyethylene (HDPE)		
3. (Non-Product Contact Outer closure: Resin D. Polypropylene (PP))		
Product contact resins are 21 CFR 170-184 compliant.		
Colorant: Black Colorant Master Batch is 21 CFR 170-184 compliant.		
Testing is described below.		
<i>Note: Testing has been variously completed on individual components; the composite of the four components; and on product contact components.</i>		
Certificate reviewed by Mengyu Wang		
Regulatory Compliance Associate Title	 Electronic Signature	Date: <u>23-Sep-2020</u>
Certificate authorized by Dwain L. Sparks		
Regulatory Compliance Director Title	 Electronic Signature	Date: <u>23-Sept-2020</u>
Corporate Headquarters Address:	4320 N. Harbor Blvd, Fullerton, CA 92835 USA	
Regulatory Compliance Team Contact:	(844) 365-5218 Ext. 407	

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.
Regulatory Declarations and Testing Certificate
(BKBK Models)

Table of Contents


A. Drawings:	3
B. Materials of Construction - Chubby Gorilla V3	4
C. Black Colorant Master Batch Compliance.....	6
D. Testing.....	6
1. 21 CFR 177	6
2. Bis Phenol-A (BPA)	7
3. Phthalates	7
E. Compliance with CPSC Regulations	8
F. BSE/TSE Statement	9
G. Secondary and Tertiary Packaging	9
H. Health Risk Assessment	10

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.
Regulatory Declarations and Testing Certificate
(BKBK Models)

Example Drawing
CGUB1-10MLV3
(Dimensions are in millimeters)

A. Drawings:



Unique drawings for each BKBK Model listed in Section B are available upon request.

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.
Regulatory Declarations and Testing Certificate
(BKBK Models)

B. Materials of Construction - Chubby Gorilla V3

V3 Model Numbers	Component	Material of Construction	Color
CGUB1-50MLV3-BKBK CGUB1-60MLV3-BKBK CGUB1-100MLV3-BKBK CGUB1-120MLV3-BKBK	Containers	Polyethylene Terephthalate (Resin A - PET)	Translucent Black
	Nozzles (or Plugs)	Polypropylene (Resin B.2 - PP)	Translucent Black
	Inner Closures	High Density Polyethylene (Resin C - HDPE)	Solid Black
	Outer Closures	Polypropylene (Resin D - PP)	Solid Black

Mini Model Numbers (M)	Component	Material of Construction	Color
CGUB1-60MLMV3- BKBK	Containers	Polyethylene Terephthalate (Resin A - PET)	Translucent Black
	Nozzles (or Plugs)	Polypropylene (Resin B.2 - PP)	Translucent Black
	Inner Closures	High Density Polyethylene (Resin C - HDPE)	Solid Black
	Outer Closures	Polypropylene (Resin D - PP)	Solid Black

Short Model Numbers (SC)	Component	Material of Construction	Color
CGUB1-30MLSC-BKBK CGUB1-60MLSC-BKBK CGUB1-75MLSC-BKBK	Containers	Polyethylene Terephthalate (Resin A - PET)	Translucent Black
	Nozzles (or Plugs)	Polypropylene (Resin B.2 - PP)	Translucent Black
	Inner Closures	High Density Polyethylene (Resin C - HDPE)	Solid Black
	Outer Closures	Polypropylene (Resin D - PP)	Solid Black

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.
Regulatory Declarations and Testing Certificate
(BKBK Models)

Tall Model Numbers	Component	Material of Construction	Color
CGUB1-10MLV3-BKBK CGUB1-15MLV3-BKBK CGUB1-30MLV3-BKBK	Containers	Polyethylene Terephthalate (Resin A - PET)	Translucent Black
	Nozzles (or Plugs)	Low Density Polyethylene (Resin B.1 - LDPE)	Translucent Black
	Inner Closures	High Density Polyethylene (Resin C - HDPE)	Solid Black
	Outer Closures	Polypropylene (Resin D - PP)	Solid Black

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.

Regulatory Declarations and Testing Certificate (BKBK Models)

C. Black Colorant Master Batch Compliance

The Black Colorant Master Batch complies with the following CFR regulations:

1. 21 CFR 178.3297
2. 21 CFR 178.2010
3. 21 CFR 177.1520

Reference: Supplier technical data sheet

D. Testing

1. 21 CFR 177

Resin A. Translucent Black Polyethylene Terephthalate (PET) complies with the testing requirements of 21 CFR 177.1630(g)(1)(i) and 21 CFR 177.1630(g)(1)(ii).

Table 1. Test Summary

Test Performed	Resin	Conclusion
21 CFR 177.1630 (Chloroform-soluble extractives)	PET	Pass

Resin B.1. Translucent Black Low Density Polyethylene (LDPE) nozzle complies with the testing requirements of 21 CFR 177.1520(d)(1); 21 CFR 177.1520(d)(3)(ii); and 21 CFR 177.1520(d)(4)(ii).

Table 2. Test Summary

Tests Performed	Resin	Conclusion
21 CFR 177.1520 (Maximum extractable fraction)	LDPE	Pass
21 CFR 177.1520 (Maximum soluble fraction)	LDPE	Pass
21 CFR 177.1520 (Density at 23°C)	LDPE	Pass

Resin B.2. Translucent Black Polypropylene nozzle complies with the testing requirements of 21 CFR 177.1520(d)(1); 21 CFR 177.1520(d)(3)(ii); and 21 CFR 177.1520(d)(4)(ii).

Table 3. Test Summary

Tests Performed	Resin	Conclusion
21 CFR 177.1520 (Maximum extractable fraction)	PP	Pass
21 CFR 177.1520 (Maximum soluble fraction)	PP	Pass
21 CFR 177.1520 (Density at 23°C)	PP	Pass

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.

Regulatory Declarations and Testing Certificate

(BKBK Models)

Resin C. Solid Black High Density Polyethylene inner closure with tamper evident band complies with the testing requirements of 21 CFR 177.1520(d)(1); 21 CFR 177.1520(d)(3)(ii); and 21 CFR 177.1520(d)(4)(ii).

Table 4. Test Summary

Tests Performed	Resin	Conclusion
21 CFR 177.1520 (Maximum extractable fraction)	HDPE	Pass
21 CFR 177.1520 (Maximum soluble fraction)	HDPE	Pass
21 CFR 177.1520 (Density at 23°C)	HDPE	Pass

Reference: NGBHG1804375602, dated 17-Sep-2019

2. Bis Phenol-A (BPA)

Matrix: Container closure systems

Test Method: Extraction using an organic solvent and analyzed by HPLC-FLD / HPLC MS for the presence of Bisphenol-A. The method detection limit is 0.1 mg BPA/kg material.

At the test method detection limit, the result of each test is none detected (or less than the method detection limit).

Reference: NGBHG1804604902, dated 15-Feb-2019

3. Phthalates

Matrix: Resins A, B.1., B.2., C, and D.

Regulation 1: In accordance with 16 CFR Part 1307 [Docket No. CPSC-2014-0033], Final Rule, amending CPSIA Section 108, Prohibition on Sale of Certain Products Containing Specified Phthalates.

Regulation 2: US California Proposition 65 – Phthalates

Test Method: GC-MS, with reference to CPSC-CH-C1001-09.4 (2018)

Test Limit: 0.1%

Method Detection Limit: 0.005%

Resin A (Polyethylene Terephthalate Container) Test Result: None detected.

Resins B.1. (Low Density Polyethylene Nozzle) and B.2. (Polypropylene Nozzle) Test Result: None detected.

Resins C (High Density Polyethylene Inner Closure) and D (Polypropylene Outer Closure) Test Result: None detected.

Reference: NGBHG1804716803, dated 26-Feb-2019

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.
Regulatory Declarations and Testing Certificate
(BKBK Models)

E. Compliance with CPSC Regulations

1. Samples of representative Models were evaluated and tested using the Poison Prevention Packaging Act Standards as required under the current Code of Federal Regulations (CFR). All BKBK Models meet the *Effectiveness specifications* (16 CFR 1700.15(b)(2)(i)) when tested by the method described in 16 CFR 1700.20.
2. Samples of representative Models were evaluated and tested using the Child Nicotine Poisoning Prevention Act (CNPPA) of 2015 and the Protocol described in CPSC's industry letter dated March 8, 2019 titled: Nicotine Packaging Test Parameters. All BKBK Models meet the requirements for Nicotine Flow Restriction: CPSC's Test Methodology based upon the average of four measurements of samples filled with worst case placebo ratio of vegetable glycerin and propylene glycol. See Table 5.
3. Samples of representative Models filled with representative eliquids were evaluated according to 16 CFR 1700.15(a) General Requirements to demonstrate that this *special packaging* continues to function with the effectiveness specifications set forth in 16 CFR 1700.15(b), such that the chemical and physical characteristics of representative eliquids do not compromise or interfere with the proper functioning of the *special packaging* for the number of openings and closing customary for its size and contents.

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.

Regulatory Declarations and Testing Certificate (BKBK Models)

Table 5. Flow Restriction Testing per CPSC Nicotine Packaging Test Parameters

Model No. Series ¹	Ratio of Vegetable Glycerin (VG) : Propylene Glycol (PG) Tested	Percent ^{1,2} of Vegetable Glycerin (VG) : Certified
CGUB1-10MLV3	50:50 ¹	>50% VG
CGUB1-15MLV3	50:50	>50% VG
CGUB1-30MLV3	50:50	>50% VG
CGUB1-30MLSC	50:50	>50% VG
CGUB1-50MLV3	70:30 ²	>70% VG
CGUB1-60MLV3	70:30	>70% VG
CGUB1-60MLMV3	70:30	>70% VG
CGUB1-60MLSC	70:30	>70% VG
CGUB1-75MLSC	70:30	>70% VG
CGUB1-100MLV3	70:30	>70% VG
CGUB1-120MLV3	70:30	>70% VG

¹50:50 VG:PG is equivalent to 50% VG

²70:30 VG:PG is equivalent to 70% VG

F. BSE/TSE Statement

Our suppliers have confirmed that our raw materials do not contain animal products or by-products and are free from Transmissible Spongiform Encephalopathies, TSE, and Bovine Spongiform Encephalopathies, BSE.

G. Secondary and Tertiary Packaging

- Secondary packaging consists of LDPE tubular bags which are 0.05 mm in thickness. An aqueous adhesive is applied to one side of the open end tube.
- Tertiary packaging. See Table 6 for information about the 5-layer corrugated, paper boxes made from cellulose pulp. Each layer is glued to the adjoining layer with an aqueous adhesive.

Table 6. Tertiary Packaging Structure from Outside to Inside

Layer	Description	Weight (g)
1	Flat sheet brown paper	190
2	Corrugated paper	170
3	Flat sheet paper	90
4	Corrugated paper	140
5	Flat sheet paper	160

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

Chubby Gorilla, Inc.
Regulatory Declarations and Testing Certificate
(BKBK Models)

H. Health Risk Assessment

The Health Risk Assessment Report contains a thorough summary of an Extractables Study, including a complete list of extractables. The Health Risk Assessment was conducted on the relevant combinations of components, which make up the BKBK Models. That is, the Assessment looks at the additive levels of common extractables in the 3 product contact components. The Health Risk Assessment was based upon an Extractables Study, the analysis of individual components. Conversely, the Extractables Study does not provide an analysis which pertains to the combinations of components which make up the BKBK Models.

Analytical studies (Extractables) were conducted on representative product contact components of BKBK Models. The extracts were analyzed for volatile organic species, semi-volatile organic species, non-volatile organic species, and inorganic elements by HS-GC-FID/MS, GC-FID/MS, LC-DAD/MS, and ICP-MS analyses, respectively. From the results of the extractables study, worst-case consumer exposures were estimated and possible health risks were assessed.

The Health Risk Assessment (and the Extractables Study Protocol) may be requested after execution of a non-disclosure agreement. We will include the Health Risk Assessment Report (as well as the Extractables Study Report) in our TPMF.

Reference: 19287 V4, dated: October 2019

Permission for replication must be granted in writing by Chubby Gorilla, Inc.

COPY CERTIFICATION BY DOCUMENT CUSTODIAN WITH ACKNOWLEDGEMENT


I, Abdel Aboabdo, of legal age, being first duly sworn, hereby
Name of document custodian

Swear (or affirm) that the attached reproduction of

Certificate of Testing

Description of documents

Is a true and exact copy of the correct and complete original document.



Signature of document custodian (affiant)

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Los Angeles

On September 9, 2022 before me, Jiwon Yoo, Notary Public
(Here insert name and title of the officer)


personally appeared Abdel Aboabdo
who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Jiwon Yoo
Notary Public Signature

(Notary Public Seal)



Mango Strawberry

ICE
Delights
YOGI™

YOGI™
Delights
ICE

1 x 10ml

FOR SALE IN JORDAN
للبيع في الأردن

YOGI™
Delights
ICE

الوكيل والموزع الوحيد في الأردن

YAN

شركة يان الصناعية للتجارة د.م.
YAN Industrial Trading Co. Ltd.
Tel. + 962 6 4711277
Fax. +962 6 4711288
P.O.Box. 429 Amman 11831 Jordan
e-mail. info@yanco.jo

Ingredients:
Vegetable Glycerin: 50%
Propylene Glycol: 39.76%
Mango Strawberry
Flavour: 8.24%
Nicotine: 2%

Store below 30 degrees away
from sun light

Manufactured by
Genix Life, LLC
for Anixcore Corporation,
Orange County, California, U.S.A

SALT



Mango Strawberry

10ml | 20mg

Healthy Warning: Contains nicotine which causes severe addiction, increased heart rate and high blood pressure. Nicotine is harmful to the health of pregnant and nursing women, and people suffering from chronic Pulmonary diseases such as asthma and Pulmonary embolism.

يحفظ بعيدا عن متناول الاطفال



It is prohibited to sell and consume this product by individuals under the age of 19, and it is not recommended for non-smokers.

يحظر بيع واستهلاك هذا المنتج من قبل افراد تقل اعمارهم عن 19 عاما ، ولا ينصح به لغير المدخنين

This product may pose a health hazard when inhaled, swallowed, or gets in contact with the skin.

قد يشكل هذا المنتج خطر عند استنشاقه او بلعه او تماسه مع الجلد

YOGI™
Delights
ICE



مانجا فراولة ثلج

10ml

20mg

تحذير صحي: يحتوي على النيكوتين الذي يسبب شدة الإدمان وزيادة ضربات القلب ورفع ضغط الدم وضار لصحة المرأة الحامل والمرضع والأشخاص الذين يعانون من امراض الرئة مثل الربو والإنسداد الرئوي

تاريخ الصلاحية
Expiry Date

رقم التشغيلة
Batch Number

8 18664 02531 0

YOGI

Delights

ICE

SALT



مانجا فراولة تليج

10ml | 20mg

HEALTH WARNING:

Contains nicotine which causes severe addiction, increased heart rate and high blood pressure.

Nicotine is harmful to the health of pregnant and nursing women, and people suffering from chronic pulmonary diseases such as asthma and pulmonary embolism.

يحفظ بعيدا عن متناول الاطفال



UNDER

19

It is prohibited to sell and consume this product by individuals under the age of 19, and it is not recommended for non-smokers.

يحظر بيع واستهلاك هذا المنتج من قبل افراد تقل اعمارهم عن 19 عامًا ، ولا ينصح به لغير المدخنين .

Ingredients:
Vegetable Glycerin: 50%
Propylene Glycol: 39.76%
Mango Strawberry Flavour: 8.24%
Nicotine: 2%

1 x 10ml

www.yogiliquid.com

This product may pose a health hazard when inhaled, swallowed, or gets in contact with the skin.

قد يشكل هذا المنتج خطراً على الصحة عند استنشاقه أو بلعه أو تماسه مع الجلد



Manufactured by Genki Life, LLC for Asiacore Corporation, Orange County, California, U.S.A

FOR SALE IN JORDAN

للبيع في الاردن

تحذير صحي:

يحتوي على

النيكوتين الذي يسبب

شدة الادمان وزيادة

ضربات القلب ورفع

ضغط الدم وضار

صحيا للمرأة الحامل

والمرضع

والاشخاص الذين

يعانون من امراض

الرئة مثل الربو

والانسداد الرئوي